



**156-215**

**Check Point Security Administration I NGX**

Q&A

DEMO Version

Copyright (c) 2009 Chinatag LLC. All rights reserved.

## **Important Note Please Read Carefully**

For demonstration purpose only, this free version Chinatag study guide contains **10** full length questions selected from our full version products which have more than **200** questions each.

This Study guide has been carefully written and compiled by Chinatag certification experts. It is designed to help you learn the concepts behind the questions rather than be a strict memorization tool. Repeated readings will increase your comprehension.

For promotion purposes, all PDF files are **not** encrypted. Feel free to distribute copies among your friends and let them know Chinatag website.

## **Study Tips**

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

## **Latest Version**

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check the products page on the <http://www.chinatag.com> website for an update 3-4 days before the scheduled exam date.

Please tell us what you think of our products. We appreciate both positive and critical comments as your feedback helps us improve future versions. Feedback on specific questions should be send to [feedback@chinatag.com](mailto:feedback@chinatag.com).

Thanks for purchasing our products and look forward to supplying you with all your Certification training needs.

Good studying!

Technical and Support Team  
Chinatag LLC.

**QUESTION NO: 1**

What are the results of the command: fw sam [Target IP Address]?

- A. Connections to the specified target are blocked without the need to change the Security Policy
- B. Connections to and from the specified target are blocked without the need to change the Security Policy
- C. The Security Policy is compiled and installed on the target's embedded VPN/FireWall Modules
- D. Connections from the specified target are blocked without the need to change the Security Policy

**Answer: B**

**QUESTION NO: 2**

The command fw fetch causes the:

- A. Security Gateway to retrieve the user database information from the tables on the SmartCenter Server.
- B. SmartCenter Server to retrieve the debug logs of the target Security Gateway
- C. Security Gateway to retrieve the compiled policy and inspect code from the SmartCenter Server and install it to the kernel.
- D. SmartCenter Server to retrieve the IP addresses of the target Security Gateway

**Answer: C**

**QUESTION NO: 3**

Which of the following deployment scenarios CANNOT be managed by Check Point QoS?

- A. Two lines connected directly to the Gateway through a hub
- B. Two lines connected to separate routers, and each router is connected to separate interfaces on the Gateway
- C. One LAN line and one DMZ line connected to separate Gateway interfaces
- D. Two lines connected to a single router, and the router is connected directly to the Gateway

**Answer: D**

**QUESTION NO: 4**

Your company's Security Policy forces users to authenticate to the Gateway explicitly, before they can use any services. The Gateway does not allow Telnet service to itself from any location. How

would you set up the authentication method? With a:

- A. Session Authentication rule
- B. Client Authentication rule using the manual sign-on method, using HTTP on port 900
- C. Client Authentication for fully automatic sign on
- D. Client Authentication rule, using partially automatic sign on

**Answer: B**

### QUESTION NO: 5

You must set up SIP with a proxy for your network. IP phones are in the 172.16.100.0 network. The Registrar and Proxy are installed on the host, 172.16.101.100. To allow handover enforcement for outbound calls from SIP-net to the Internet, you have defined the following objects:

Network object: SIP-net: 172.16.100.0/24

SIP-gateway: 172.16.101.100

VoIP Domain object: VoIP\_domain\_A

End-point domain: SIP-net

VoIP gateway installed at: SIP-gateway host object

How would you configure the rule?

- A. VoIP\_domain\_A / any / sip\_any / accept
- B. VoIP\_Gateway\_A / any / sip / accept
- C. Unsupported because the SIP Registrar and the SIP Proxy are installed on the same host. Separate and create two VoIP Domain objects.
- D. SIP-net & SIP-gateway / any / sip / accept

**Answer: A**

### QUESTION NO: 6

A \_\_\_\_\_ rule is used to prevent all traffic going to the VPN-1 NGX Security Gateway

- A. Stealth

- B. Cleanup
- C. SmartDefense
- D. Reject

**Answer: A**

**QUESTION NO: 7**

An advantage of using central vs local licensing is:

- A. Only one IP address is used for all licenses.
- B. Licenses are automatically attached to their respective Security Gateways.
- C. The license must be renewed when changing the IP address of a Security Gateway.
- D. A license can be taken from oneSmartCenter Server and given to SmartCenter Server.

**Answer: A**

**QUESTION NO: 8**

Which command allows verification of the Security Policy name and install date on a Security Gateway?

- A. fw ver -p
- B. fw show policy
- C. fw stat -l
- D. fw ctl pstat -policy

**Answer: C**

**QUESTION NO: 9**

What command displays the version of an already installed Security Gateway?

- A. cpstat -gw
- B. fw printver
- C. fw ver
- D. fw stat

**Answer: C**

**QUESTION NO: 10**

When configuring objects in SmartMap, it is helpful to \_\_\_\_\_ the objects so that they are properly defined for use in a policy rule.

- A. Save
- B. Actualize
- C. Physically connect to
- D. Expand

**Answer: B**