



156-816

Check Point Certified Managed Security Expert Plus VSX NGX

Q&A

DEMO Version

part 2

Copyright (c) 2007 Chinatag LLC. All rights reserved.

Important Note Please Read Carefully

For demonstration purpose only, this free version Chinatag study guide contains **10** full length questions selected from our full version products which have more than **200** questions each.

This Study guide has been carefully written and compiled by Chinatag certification experts. It is designed to help you learn the concepts behind the questions rather than be a strict memorization tool. Repeated readings will increase your comprehension.

For promotion purposes, all PDF files are **not** encrypted. Feel free to distribute copies among your friends and let them know Chinatag website.

Study Tips

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check the products page on the <http://www.chinatag.com> website for an update 3-4 days before the scheduled exam date.

Please tell us what you think of our products. We appreciate both positive and critical comments as your feedback helps us improve future versions. Feedback on specific questions should be send to feedback@chinatag.com.

Thanks for purchasing our products and look forward to supplying you with all your Certification training needs.

Good studying!

Technical and Support Team
Chinatag LLC.

QUESTION 1

VSX clusters are defined at two levels:

- A. VSX cluster and physical device
- B. VSX cluster and virtual device
- C. VSX Gateway and physical device
- D. VSX cluster and VSX Gateway
- E. VSX Gateway and Virtual device

Answer: E

QUESTION 2

What is the term used to describe a port or interface that shares traffic from more than one VLAN?

- A. VLAN riding
- B. VLAN trunking
- C. Frame-Strata enabled
- D. Comprehensive Layer-2 label support
- E. Comprehensive VLAN Tag support

Answer: B

QUESTION 3

TRUE or FALSE. A Virtual System in Bridge Mode can enforce anti-spoofing definitions.

- A. False, anti-spoofing can't be configured for Virtual systems in Bridge Mode
- B. True, as long as the Virtual System has more than two interfaces defined
- C. True, anti-spoofing must be manually defined in bridge mode
- D. True, as long as Network Address Translation is performed
- E. True, anti-spoofing measures are defined automatically in Bridge mode

Answer: C

QUESTION 4

The _____ interface is configured in a VLAN environment, to allow multiple Virtual systems to share a single physical interface on a VSX Gateway.

- A. Synchronization
- B. Warp
- C. Symbolic
- D. Virtual
- E. Physical

Answer: D

QUESTION 5

At installation, the _____ is bound to all configured physical interfaces of a VSX Gateway, UNLESS the interfaces are specifically assigned to another component.

- A. VSX Management Server
- B. Synchronization Network
- C. Internal Virtual Router
- D. External Virtual Router
- E. Management Virtual System

Answer: E

QUESTION 6

The provisioning and network configuration channel does NOT:

- A. Create Virtual Systems and Virtual Routers on a Gateway
- B. Install Administrator defined Security Policies
- C. Install a default Security Policy blocking all traffic
- D. Create a SCI Certificate for new objects and transfer the Certificate to an object on the VSX Gateway
- E. Configure interface and routing information on the Gateway

Answer: B

QUESTION 7

Which of the following is a type of VLAN membership?

- A. Port-based
- B. Time-based
- C. Session-based
- D. Protocol-based
- E. Application-based

Answer: D

QUESTION 8

Which of the following is NOT a type of physical interface seen in a VSX Gateway?

- A. Dedicated management
- B. Synchronization
- C. External
- D. Internal
- E. Warp

Answer: E

QUESTION 9

A Virtual System in Bridge Mode is a Virtual System that implements:

- A. Dynamic IP Routing
- B. Network Address Translation
- C. IP Routing
- D. Native Layer-2 Communications
- E. VLAN Tagging

Answer: D

QUESTION 10

Which of the following virtual devices will NOT fail over, if its interface fails in a VSX High Availability configuration?

- A. Management Virtual System Interfaces
- B. External Virtual Router
- C. Virtual Switch
- D. Virtual System with VLAN Interfaces
- E. Virtual System with dedicated interfaces

Answer: C