



3X0-204

level 2 sendmailmailing system

Q&A

DEMO Version

Copyright (c) 2007 Chinatag LLC. All rights reserved.

Important Note Please Read Carefully

For demonstration purpose only, this free version Chinatag study guide contains **10** full length questions selected from our full version products which have more than **200** questions each.

This Study guide has been carefully written and compiled by Chinatag certification experts. It is designed to help you learn the concepts behind the questions rather than be a strict memorization tool. Repeated readings will increase your comprehension.

For promotion purposes, all PDF files are **not** encrypted. Feel free to distribute copies among your friends and let them know Chinatag website.

Study Tips

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check the products page on the <http://www.chinatag.com> website for an update 3-4 days before the scheduled exam date.

Please tell us what you think of our products. We appreciate both positive and critical comments as your feedback helps us improve future versions. Feedback on specific questions should be send to feedback@chinatag.com.

Thanks for purchasing our products and look forward to supplying you with all your Certification training needs.

Good studying!

Technical and Support Team
Chinatag LLC.

Question No: 1 Which of the following are well-known MTAs?

- A. Procmal
- B. Sendmail
- C. Netscape
- D. Pine
- E. Qmail

Answer: B, E

Question No: 2 The MX record for a domain is set to: "IN MX 10 mail.company.com". What additional record types, if any, are required for the machine mail.company.com?

- A. mail.company.com should have a CNAME record
- B. mail.company.com should have no other records
- C. mail.company.com should have an A record
- D. mail.company.com should have both a CNAME and a PTR record
- E. mail.company.com should have both a CNAME and an A record

Answer: C

Question No: 3 Which of the following files are checked and/or modified to restrict POP access to machines only in the domain company.com?

- A. /etc/hosts
- B. /etc/inetd.conf
- C. /etc/services
- D. /etc/hosts.allow
- E. /etc/hosts.deny

Answer: B, D, E

Question No: 4 Which of the following would NOT be an effective way for an e-mail user to prevent spam?

- A. Creating a mail filter based on the mail header

- B. Creating a mail filter against usernames with irregular capitalization
- C. Creating a mail filter against mail from a specific user name
- D. Using Procmail

Answer: C

Question No: 5 Which of the following are reasonable steps for a system administrator to take to reduce the amount of spam received by users of an e-mail system?

- A. Only accept e-mail from trusted hosts
- B. Only accept inbound e-mail for users in this domain
- C. Use the DNS blacklist service to refuse e-mail from known spam sources
- D. Disable any accounts which receive spam
- E. Filter e-mail headers for known spam subject lines

Answer: B, C, E

Question No: 6 Which of the following is not a valid delivery line for .qmail?

- A. # this is a comment
- B. |/usr/bin/vacation jsmith
- C. &joesmith
- D. &jsmith@company.com
- E. /home/jsmith/mail/archive

Answer: C

Question No: 7 What function does OSTYPE in the generic-linux.mc macro provide during Sendmail installation?

- A. It optimizes Sendmail to properly use memory allocations specific to an operating system
- B. It sets some path names specifically for the operating system
- C. It controls which applications mail can be sent to for processing
- D. It specifies the operating system of connecting mail servers
- E. It denies privileges to operating systems with Sendmail security issues

Answer: B

Question No: 8 What does the divert command in the generic-linux.mc file do?

- A. It handles all user .forward files
- B. It controls the addition of text from the generic-linux.mc file to the output file or internal text buffers
- C. It redirects e-mail to a third party mail server
- D. It changes the header information of incoming messages and resends them
- E. It copies e-mail locally and sends it to another mail server

Answer: B

Question No: 9 Which of the following will result if "dnl" is included after each command in the generic-linux.mc file?

- A. The text from "dnl" until the end of that line is ignored
- B. DNS will not be used in resolving the address to the host mail server
- C. Mail can only be sent to servers named in the /etc/hosts and /etc/networks files
- D. All commands that do not have "dnl" after each line are applied locally
- E. The command on the next line is not executed

Answer: A

Question No: 10 An e-mail system has been configured to use the DNS Blacklist (DNSBL) service. What additional step is performed by the system as a result?

- A. It checks the user's e-mail account against the deny spam database Web site
- B. It sends a list of known spammers to a recipient requesting the information to be added to their mail filters
- C. It controls which applications mail can be sent to based on the DNSBL database
- D. It keeps track of recipients who requested to be removed from mass mailings
- E. It checks the IP of each connection from which it is receiving mail against entries in the DNSBL database

Answer: E