



70-568

**UPGRADE: Transition your MCPD Enterprise Application
Developer Skills to MCPD Enterprise Application Developer 3.5,
Part 1**

Q&A

DEMO Version

Copyright (c) 2010 Chinatag LLC. All rights reserved.

Important Note Please Read Carefully

For demonstration purpose only, this free version Chinatag study guide contains **10** full length questions selected from our full version products which have more than **200** questions each.

This Study guide has been carefully written and compiled by Chinatag certification experts. It is designed to help you learn the concepts behind the questions rather than be a strict memorization tool. Repeated readings will increase your comprehension.

For promotion purposes, all PDF files are **not** encrypted. Feel free to distribute copies among your friends and let them know Chinatag website.

Study Tips

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check the products page on the <http://www.chinatag.com> website for an update 3-4 days before the scheduled exam date.

Please tell us what you think of our products. We appreciate both positive and critical comments as your feedback helps us improve future versions. Feedback on specific questions should be send to feedback@chinatag.com.

Thanks for purchasing our products and look forward to supplying you with all your Certification training needs.

Good studying!

Technical and Support Team
Chinatag LLC.

QUESTION 1

You are creating a Windows Forms application by using the .NET Framework 3.5. You create a new form in the application. You add a ContextMenuStrip control named ctxMenu to the form. You have a user-defined class named CustomControl. You write the following code segment in the application. (Line numbers are included for reference only.)

01 CustomControl myControl = new CustomControl();

02 You need to ensure that an instance of CustomControl is displayed on the form as a top-level item of the ctxMenu control.

Which code segment should you add at line 02?

- A. ToolStripControlHost host = new ToolStripControlHost(myControl);
ctxMenu.Items.Add(host);
- B. ToolStripPanel panel = new ToolStripPanel();
panel.Controls.Add(myControl); ctxMenu.Controls.Add(panel);
- C. ToolStripContentPanel panel = new ToolStripContentPanel();
panel.Controls.Add(myControl);
ctxMenu.Controls.Add(panel);
- D. ToolStripMenuItem menuItem = new ToolStripMenuItem();
ToolStripControlHost host = new ToolStripControlHost(myControl);
menuItem.DropDownItems.Add(host); ctxMenu.Items.Add(menuItem);

Answer: A

QUESTION 2

You are creating a Windows Forms application by using the .NET Framework 3.5. You create a new form in the application. You add a ContextMenuStrip control named ctxMenu to the form. You have a user-defined class named CustomControl. You write the following code segment in the application. (Line numbers are included for reference only.)

01 Dim myControl As New CustomControl()

02 You need to ensure that an instance of CustomControl is displayed on the form as a top-level item of the ctxMenu control.

Which code segment should you add at line 02?

- A. Dim host As New ToolStripControlHost(myControl) ctxMenu.Items.Add(host)
- B. Dim panel As New ToolStripPanel() panel.Controls.Add(myControl)
ctxMenu.Controls.Add(panel)
- C. Dim panel As New ToolStripContentPanel() panel.Controls.Add(myControl)
ctxMenu.Controls.Add(panel)
- D. Dim menuItem As New ToolStripMenuItem() Dim host As New
ToolStripControlHost(myControl)

menuItem.DropDownItems.Add(host) ctxMenu.Items.Add(menuItem)

Answer: A

QUESTION 3

You are creating a Windows Forms application by using the .NET Framework 3.5. You create a new form in your application. You add a PrintDocument control named pntDoc to the form. To support the print functionality, you write the following code segment in the application. (Line numbers are included for reference only.)

01 pntDoc.BeginPrint += new PrintEventHandler(PrintDoc_BeginPrint);

02 ...

03 bool canPrint = CheckPrintAccessControl();

04 if (!canPrint) {

05

06 }

07

You need to ensure that the following requirements are met:

When the user has no print access, font and file stream initializations are not executed and the print operation is cancelled.

Print operations are logged whether or not the user has print access.

What should you do?

- A. Add the following code segment at line 05.
`pntDoc.BeginPrint -= new PrintEventHandler(PrintDoc_BeginPrint);`
`pntDoc.BeginPrint += new PrintEventHandler((obj, args) => args.Cancel = true);`
 Add the following code segment at line 07.
`pntDoc.BeginPrint += new PrintEventHandler((obj1, args1) => LogPrintOperation());`
- B. Add the following code segment at line 05.
`pntDoc.BeginPrint += new PrintEventHandler(delegate(object obj, PrintEventArgs args){});`
 Add the following code segment at line 07.
`pntDoc.BeginPrint -= new PrintEventHandler(PrintDoc_BeginPrint);`
`pntDoc.BeginPrint += new PrintEventHandler((obj1, args1) => LogPrintOperation());`
- C. Add the following code segment at line 05.
`pntDoc.BeginPrint -= new PrintEventHandler(PrintDoc_BeginPrint);`
`pntDoc.BeginPrint -= new PrintEventHandler(delegate(object obj, PrintEventArgs args){});`
 Add the following code segment at line 07.
`pntDoc.BeginPrint -= new PrintEventHandler((obj1, args1) => LogPrintOperation());`
- D. Add the following code segment at line 05.
`pntDoc.BeginPrint -= new PrintEventHandler((obj, args) => args.Cancel = true);`
 Add the following code segment at line 07.
`pntDoc.BeginPrint += new PrintEventHandler(PrintDoc_BeginPrint);`

`pntDoc.BeginPrint -= new PrintEventHandler((obj1, args1) => LogPrintOperation());`

Answer: A

QUESTION 4

You are creating a Windows Forms application by using the .NET Framework 3.5. You create a new form in your application. You add a PrintDocument control named pntDoc to the form. To support the print functionality, you write the following code segment in the application. (Line numbers are included for reference only.)

```
01 AddHandler pntDoc.BeginPrint, _ AddressOf PrintDoc_BeginPrint
02 ...
03 Dim canPrint As Boolean = CheckPrintAccessControl()
04 If canPrint = False Then
05
06 End If
07
```

You need to ensure that the following requirements are met:

When the user has no print access, font and file stream initializations are not executed and the print operation is cancelled.

Print operations are logged whether or not the user has print access.

What should you do?

- A. Add the following code segment at line 05.
`RemoveHandler pntDoc.BeginPrint,`
`AddressOf PrintDoc_BeginPrint`
`AddHandler pntDoc.BeginPrint, _ Function(obj1, args1)`
`args1.Cancel = True`
 Add the following code segment at line 07.
`AddHandler pntDoc.BeginPrint, AddressOf LogPrintOperation`

- B. Add the following code segment at line 05.
 AddHandler pntDoc.BeginPrint, AddressOf EmptyEventHandler
 Add the following code segment at line 07.
 RemoveHandler pntDoc.BeginPrint, AddressOf PrintDoc_BeginPrint
 AddHandler pntDoc.BeginPrint, AddressOf
 LogPrintOperation
- C. Add the following code segment at line 05.
 RemoveHandler pntDoc.BeginPrint, AddressOf PrintDoc_BeginPrint
 RemoveHandler pntDoc.BeginPrint, AddressOf EmptyEventHandler
 Add the following code segment at line 07.
 RemoveHandler pntDoc.BeginPrint, AddressOf
 LogPrintOperation
- D. Add the following code segment at line 05.
 AddHandler pntDoc.BeginPrint, _ function(obj1, args1)
 args1.Cancel = True
 Add the following code segment at line 07.
 AddHandler pntDoc.BeginPrint, AddressOf PrintDoc_BeginPrint
 RemoveHandler pntDoc.BeginPrint, AddressOf LogPrintOperation

Answer: A

QUESTION 5

You are creating a Windows Forms application by using the .NET Framework 3.5. You plan to modify a list of orders within a DataGridView control in the application. You need to ensure that a value is required in the first column of the grid control. Which code segment should you use?

- A.

```
private void dataGridOrders_CellValidated(
object sender, DataGridViewCellEventArgs e) {
    if (e.ColumnIndex == 0) {
        var cellValue = dataGridOrders[e.ColumnIndex, e.RowIndex].Value;
        if (cellValue == null ||
            string.IsNullOrEmpty(cellValue.ToString()))
        {
            dataGridOrders.EndEdit();
        }
    }
}
```
- B.

```
private void dataGridOrders_Validated(
object sender, EventArgs e) {
    if (dataGridOrders.CurrentCell.ColumnIndex == 0) {
        var cellValue = dataGridOrders.Text;
        if (cellValue == null ||
            string.IsNullOrEmpty(cellValue.ToString()))
        {
            dataGridOrders.EndEdit();
        }
    }
}
```
- C.

```
private void dataGridOrders_Validating(
object sender, CancelEventArgs e) {
    if (dataGridOrders.CurrentCell.ColumnIndex == 0) {
        var cellValue = dataGridOrders.Text;

        if (cellValue == null ||
            string.IsNullOrEmpty(cellValue.ToString()))
        {
```

- D. `Cancel = true;`
`}`
`}`
`}`
- E. `private void dataGridOrders_CellValidating(`
`object sender, DataGridViewCellValidatingEventArgs e) {`
`if (e.ColumnIndex == 0) {`
`if (e.FormattedValue == null ||`
`string.IsNullOrEmpty(e.FormattedValue.ToString()))`
`{`
- F. `Cancel = true;`
`}`
`}`
`}`

Answer: D

QUESTION 6

You are creating a Windows Forms application by using the .NET Framework 3.5. You plan to modify a list of orders within a DataGridView control in the application. You need to ensure that a value is required in the first column of the grid control. Which code segment should you use?

- A. `Private Sub dataGridOrders_CellValidated(_ ByVal sender As Object, _`
`ByVal e As DataGridViewCellEventArgs) _ Handles dataGridOrders.CellValidated`
`If e.ColumnIndex = 0 Then`
`Dim cellValue = dataGridOrders(e.ColumnIndex, e.RowIndex).Value`
`If cellValue = Nothing _`
`Or String.IsNullOrEmpty(cellValue.ToString()) Then dataGridOrders.EndEdit()`
`End If`
`End If`
`End Sub`
- B. `Private Sub dataGridOrders_Validated(_ ByVal sender As Object, _`
`ByVal e As EventArgs) _`
`Handles dataGridOrders.Validated`
`If dataGridOrders.CurrentCell.ColumnIndex = 0 Then`
`Dim cellValue = dataGridOrders.Text`
`If cellValue = Nothing Or _ String.IsNullOrEmpty(cellValue.ToString()) Then`
`dataGridOrders.EndEdit()`

`End If`
`End If`
`End Sub`
- C. `Private Sub dataGridOrders_Validating(_ ByVal sender As Object, _`
`ByVal e As CancelEventArgs) _ Handles dataGridOrders.Validating`
`If dataGridOrders.CurrentCell.ColumnIndex = 0 Then`
`Dim cellValue = dataGridOrders.Text`
`If cellValue = Nothing Or _ String.IsNullOrEmpty(cellValue.ToString()) Then e.Cancel =`
`True`
`End If`
`End If`
`End Sub`

```

D. Private Sub dataGridOrders_CellValidating( _ ByVal sender As Object, _
ByVal e As DataGridViewCellValidatingEventArgs) _ Handles
dataGridOrders.CellValidating
If e.ColumnIndex = 0 Then
If e.FormattedValue = Nothing _
Or String.IsNullOrEmpty(e.FormattedValue.ToString()) Then e.Cancel = True
End If
End If
End Sub

```

Answer: D

QUESTION 7

You are creating a Windows Forms application by using the .NET Framework 3.5. You write the following code segment to bind a list of categories to a drop-down list.(Line numbers are included for reference only.)

```

01 OleDbConnection cnnNorthwind = new OleDbConnection(connectionString);
02 OleDbCommand cmdCategory = new OleDbCommand( "SELECT CategoryID,
CategoryName FROM Categories ORDER BY CategoryName", cnnNorthwind);
03 OleDbDataAdapter daCategory = new OleDbDataAdapter(cmdCategory);
04 DataSet dsCategory = new DataSet();
05 daCategory.Fill(dsCategory);
06

```

You need to ensure that the drop-down list meets the following requirements:

Displays all category names.

Uses the category ID as the selected item value.

Which code segment should you add at line 06?

- A. `ddlCategory.DataSource = dsCategory;`
`ddlCategory.DisplayMember = "CategoryName";`
`ddlCategory.ValueMember = "CategoryID";`
- B. `ddlCategory.DataSource = dsCategory.Tables[0];`
`ddlCategory.DisplayMember = "CategoryName";`
`ddlCategory.ValueMember = "CategoryID";`
- C. `ddlCategory.DataBindings.Add("DisplayMember",`
`dsCategory, "CategoryName");`
`ddlCategory.DataBindings.Add("ValueMember", dsCategory, "CategoryID");`
- D. `ddlCategory.DataBindings.Add("DisplayMember", dsCategory.Tables[0],`
`"CategoryName");`
`ddlCategory.DataBindings.Add("ValueMember", dsCategory.Tables[0],`
`"CategoryID");`

Answer: B

QUESTION 8

You create an application by using the Microsoft .NET Framework 3.5 and Microsoft ADO.NET. The application connects to a Microsoft SQL Server 2005 database. You write the following code segment. (Line numbers are included for reference only.)

```

01 using (SqlConnection connection = new SqlConnection(connectionString)) {
02 SqlCommand cmd = new SqlCommand(queryString, connection);
03 connection.Open();
04
05 while (sdrdr.Read()){
06 // use the data in the reader
07 }
08 }

```

You need to ensure that the memory is used efficiently when retrieving BLOBs from the database. Which code segment should you insert at line 04?

- A. SqlDataReader sdrdr = cmd.ExecuteReader();
- B. SqlDataReader sdrdr = cmd.ExecuteReader(CommandBehavior.Default);
- C. SqlDataReader sdrdr = cmd.ExecuteReader(CommandBehavior.SchemaOnly);
- D. SqlDataReader sdrdr = cmd.ExecuteReader(CommandBehavior.SequentialAccess);

Answer: D

QUESTION 9

You are creating a Windows Forms application by using the .NET Framework 3.5. You write the following code segment to bind a list of categories to a drop-down list. (Line numbers are included for reference only.)

```
01 Dim cnnNorthwind As OleDbConnection = _ New OleDbConnection(connectionString)
02 Dim cmdCategory As OleDbCommand = New OleDbCommand( "SELECT CategoryID,
CategoryName FROM Categories ORDER BY CategoryName", cnnNorthwind)
03 Dim daCategory As OleDbDataAdapter = _ New OleDbDataAdapter(cmdCategory)
04 Dim dsCategory As DataSet = New DataSet()
05 daCategory.Fill(dsCategory)
06
```

You need to ensure that the drop-down list meets the following requirements:

Displays all category names.

Uses the category ID as the selected item value.

Which code segment should you add at line 06?

- A. ddlCategory.DataSource = dsCategory ddlCategory.DisplayMember = "CategoryName"
ddlCategory.ValueMember = "CategoryID"
- B. ddlCategory.DataSource = dsCategory.Tables(0) ddlCategory.DisplayMember =
"CategoryName" ddlCategory.ValueMember = "CategoryID"
- C. ddlCategory.DataBindings.Add("DisplayMember", _ dsCategory, "CategoryName")
ddlCategory.DataBindings.Add("ValueMember", _ dsCategory, "CategoryID")
- D. ddlCategory.DataBindings.Add("DisplayMember", _ dsCategory.Tables(0),
"CategoryName") ddlCategory.DataBindings.Add("ValueMember", _
dsCategory.Tables(0), "CategoryID")

Answer: B

QUESTION 10

You create an application by using the Microsoft .NET Framework 3.5 and Microsoft ADO.NET. The application connects to a Microsoft SQL Server 2005 database. You write the following code segment. (Line numbers are included for reference only.)

```
01 Using connection As New SqlConnection(connectionString)
02 Dim cmd As New SqlCommand(queryString, connection)
03 connection.Open()
04
05 While sdrdr.Read()
06 ' use the data in the reader
07 End While
08 End Using
```

You need to ensure that the memory is used efficiently when retrieving BLOBs from the database. Which code segment should you insert at line 04?

- A. Dim sdrdr As SqlDataReader = _ cmd.ExecuteReader()
- B. Dim sdrdr As SqlDataReader = _ cmd.ExecuteReader(CommandBehavior.[Default])
- C. Dim sdrdr As SqlDataReader = _

cmd.ExecuteReader(CommandBehavior.SchemaOnly)

D. Dim sdrdr As SqlDataReader =
cmd.ExecuteReader(CommandBehavior.SequentialAccess)

Answer: D