



**920-803**

**technology standards and protocol for ip telephony solutions**

Q&A

DEMO Version

Copyright (c) 2009 Chinatag LLC. All rights reserved.

## **Important Note Please Read Carefully**

For demonstration purpose only, this free version Chinatag study guide contains **10** full length questions selected from our full version products which have more than **200** questions each.

This Study guide has been carefully written and compiled by Chinatag certification experts. It is designed to help you learn the concepts behind the questions rather than be a strict memorization tool. Repeated readings will increase your comprehension.

For promotion purposes, all PDF files are **not** encrypted. Feel free to distribute copies among your friends and let them know Chinatag website.

## **Study Tips**

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

## **Latest Version**

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check the products page on the <http://www.chinatag.com> website for an update 3-4 days before the scheduled exam date.

Please tell us what you think of our products. We appreciate both positive and critical comments as your feedback helps us improve future versions. Feedback on specific questions should be send to [feedback@chinatag.com](mailto:feedback@chinatag.com).

Thanks for purchasing our products and look forward to supplying you with all your Certification training needs.

Good studying!

Technical and Support Team  
Chinatag LLC.

**Question No: 1 Which CODEC delivers the greatest compression?**

- A. G.711
- B. G.723.1
- C. G.726
- D. G.729
- E. G.729A

**Answer: B**

**Question No: 2 To achieve the QoS necessary to deliver voice between two points on a Frame Relay network, which two items are required to guarantee that voice quality is maintained? (Choose two.)**

**Assume that a Permanent Virtual Circuit (PVC) is available to address converged voice and data.**

- A. a Variable Bit Rate (VBR) service type
- B. a WAN access device that shapes traffic
- C. a WAN access device that does NOT fragment voice IP packets
- D. a WAN access device that can manage First-In, First-Out (FIFO) queuing
- E. a Committed Information Rate (CIR) large enough to address the total peak voice traffic plus a portion allocated for Best-Effort (BE) data

**Answer: B, E**

**Question No: 3 A video conference is in progress between two networked locations using gigabit Ethernet. The video conferencing application is using User Datagram Protocol (UDP) to transport the video and audio data. Why should UDP be used instead of Transmission Control Protocol (TCP)?**

- A. TCP CANNOT handle streaming data applications.
- B. UDP is better than TCP at seamlessly synchronizing voice and video together.
- C. UDP serves as an efficient transport for handling real-time application traffic.
- D. UDP uses less bandwidth than TCP in a WAN, but more bandwidth than TCP in a LAN.

**Answer: C**

**Question No: 4 How does Real-Time Control Protocol (RTCP), the control protocol of Real-Time Protocol (RTP), assist RTP in handling packetized voice in an IP telephony environment?**

- A. Controls the RTP data flows.
- B. Identifies sources and provides QoS feedback.
- C. Interoperates with Transmission Control Protocol (TCP).
- D. Controls the network bandwidth used by RTP data flows.

**Answer: B**

**Question No: 5 The basic attributes of Real-Time Protocol (RTP) provide for support of applications like voice and video. Which three attributes of RTP support real-time applications? (Choose three.)**

- A. Timestamping
- B. Packet sequencing
- C. Header compression
- D. Payload identification
- E. Packet retransmission

**Answer: A, B, D**

**Question No: 6 What are two differences between IP, Asynchronous Transfer Mode (ATM) and Frame Relay (FR)? (Choose two.)**

- A. ATM has a fixed cell size, but IP and FR do NOT.
- B. FR has built in mechanisms within the protocol for QoS.
- C. ATM is connectionless, but IP and FR are connection oriented.
- D. IP is a Layer 3 protocol, but ATM and FR are Layer 2 protocols.

**Answer: A, D**

**Question No: 7 Which two CODECs have the least delay (processing or algorithmic)? (Choose two.)**

- A. G.711
- B. G.723.1
- C. G.726
- D. G.729

**Answer: A, C**

**Question No: 8 To implement VoIP on a customer's IP network, which transport protocol should you use to best meet the real-time requirement for VoIP, and why?**

- A. User Datagram Protocol (UDP); It ignores lost packets.
- B. Transmission Control Protocol (TCP); It retransmits lost packets.
- C. User Datagram Protocol (UDP); The amount of delay time is bounded.
- D. Transmission Control Protocol (TCP); The amount of delay time is bounded.

**Answer: A**

**Question No: 9 Which CODEC is the most tolerant to network delay?**

- A. G.711
- B. G.723
- C. G.729
- D. G.729A

**Answer: A**

**Question No: 10 A customer has a mix of Layer 2 and Layer 3 switches in their LAN. To ensure the best QoS as they implement VoIP, which two QoS methods should you recommend? (Choose two.)**

- A. 802.1q
- B. Weighted Fair Queuing (WFQ)
- C. Random Early Detection (RED)
- D. Differentiated Services (DiffServ)

**Answer: A, D**