



E20-617

DMX Migration Exam

Q&A

DEMO Version

Copyright (c) 2007 Chinatag LLC. All rights reserved.

Important Note Please Read Carefully

For demonstration purpose only, this free version Chinatag study guide contains **10** full length questions selected from our full version products which have more than **200** questions each.

This Study guide has been carefully written and compiled by Chinatag certification experts. It is designed to help you learn the concepts behind the questions rather than be a strict memorization tool. Repeated readings will increase your comprehension.

For promotion purposes, all PDF files are **not** encrypted. Feel free to distribute copies among your friends and let them know Chinatag website.

Study Tips

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check the products page on the <http://www.chinatag.com> website for an update 3-4 days before the scheduled exam date.

Please tell us what you think of our products. We appreciate both positive and critical comments as your feedback helps us improve future versions. Feedback on specific questions should be send to feedback@chinatag.com.

Thanks for purchasing our products and look forward to supplying you with all your Certification training needs.

Good studying!

Technical and Support Team
Chinatag LLC.

Question No: 1 How is vault integrity verified?

- A. Customer data management software
- B. Run inlines manually once a day as a PM
- C. Checks are performed every 500 millisecond thru a script
- D. EMC ControlCenter does it automatically and informs the customer if the vault is ok

Answer: C


Question No: 2 Where are volume flags for SRDF devices set?

- A. Disk Map
- B. Director Edit
- C. Volume Edit
- D. Volume Request

Answer: C

Question No: 3 Click the Exhibit button.

Which directors are connected to DR-1?



- A. Directors 1 and 16
- B. Directors 2 and 15
- C. Directors 5 and 12
- D. Directors 6 and 11

Answer: A

Question No: 4 Which bit is set on the Edit Directors page for FA link speed Auto Negotiate?

- A. ARB
- B. EAN
- C. VCM
- D. SC3

Answer: B

Question No: 5 What is the maximum number of drives that can be configured on a DMX3 direct connect drive loop?

- A. 4
- B. 9
- C. 15
- D. 18

Answer: C

Question No: 6 What changes during a block move in SymmWin 5670+?

- A. Attributes
- B. Addresses
- C. Symmetrix volume numbers
- D. Physical location on the disk

Answer: C

Question No: 7 A DMX3 ships with 960 physical drives. How many drive bays are needed?

- A. 2
- B. 4
- C. 8
- D. 16

Answer: B

Question No: 8 After adding bay 2, what needs to be done for the Symmetrix DMX3 to recognize the drives?

- A. Set LCC to reflect proper bay
- B. Upgrade LCC card to the new version
- C. Configure thru the impl init screen in symmwin
- D. Nothing; the LCC card will discover new drives automatically

Answer: A

Question No: 9 Where are the larger size cache boards in the memory board slots of a DMX3 located?

- A. Larger size cards go on the left
- B. Larger sizes always go to the right
- C. Larger size cards go in the middle
- D. There is no restriction on where the boards are located

Answer: B

Question No: 10 How many copies of global memory reside on the vault drives?

- A. 1
- B. 2
- C. 4
- D. 6

Answer: B